

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

CURRENT LITERATURE.

The Seaweeds.

So large a part of our courses in general morphology has to do with the algæ that any handy text concerning them is welcome. The ordinary list of "types" has become somewhat stereotyped in text and illustration, and information concerning a broader range of forms would be very useful to such teachers as are not specializing in the group. Mr. George Murray's new book1 is designed to fill such a place and should be very helpful. A full introduction gives a historical sketch of our knowledge of the group, the division on the basis of color and the relation of colors to distribution in depth, the relation of light and temperature to distribution, agents of distribution, comparison of the floras of different oceans, littoral and pelagic floras and their relation to the sustenance of marine animals, distribution in time, directions for collection, etc. A rather full bibliography is also a very useful feature. Although this is an "introduction" to the study of algæ, it is evident that the student must bring to it a general knowledge of the morphology and terminology of the group. A curious sequence is used, which is said to be for convenience. The Phaeophyceæ are first considered; then the Chlorophyceæ and Diatomaceæ; then the Rhodophycea; and finally the Cyanophycea. The account of the Rhodophyceæ is based upon the papers of F. Schmitz, and differs from the ordinary classification. As a rule, the illustrations are clear, and many of them are new; while the eight colored plates give a fairly good idea of the coloration. The title "seaweeds" is to be taken literally, for marine forms are chiefly considered, those of the fresh water being referred to only incidentally. The work will prove useful as a reference book in our laboratories, furnishing collateral reading and new illustrations.

Sand Hills of Nebraska.

In changing the plan of its field work the Division of Botany has wisely selected for study certain peculiar regions which may yield definite results to a biological survey in comparatively brief time and at small expense. Mr. Rydberg's work¹ in the "sand hills" region of Nebraska is a good illustration. This region extends over a wide area

¹ MURRAY, GEORGE.—An introduction to the study of seaweeds. Small 8vo. pp. vii+271. col. pl. 8. figs. 88. London and New York: Macmillan & Co. 1895. \$1.75.

in the western part of the state, in fact, its eastern limit reaches the center of the state. The "sand hills" change their configuration constantly, and where not held by roots the sand is gradually carried away by the wind, often transforming bared spots into "blowouts." There are four notable "blowout" grasses, which serve to give such stability as there is to the shifting sands, viz: Calamovilfa longifolia, Redfieldia flexuosa, Eragrostis tenuis, and Muhlenbergia pungens. In addition to these species, Mr. Rydberg gives a list of about twenty-five others most characteristic. The survey was practically confined to two counties in the heart of the sand hills. The catalogue of species collected is a long one, and contains many interesting notes and critical remarks. There are also descriptions of new varieties, and a new species of Carduus is illustrated by a plate.

The economic possibilities of the region are also considered, and in Mr. Rydberg's judgment the only agricultural hope for this region, as well as the neighboring regions which it helps keep dry, is a covering of forest vegetation, which he believes may be possible.

Minor Notices.

Volume II of the *Proceedings* of the Iowa Academy of Sciences covering the meeting in 1894 is the first to be published by the state, and it makes a most creditable showing. It contains 225 pages and 22 plates, well printed and in convenient form. The matter is interesting and valuable. It includes seven papers upon botanical subjects: Effects of heat on the germination of corn and smut, F. C. Stewart; Distribution of some weeds in the United States, L. H. Pammel; Structure of the seed-coats of Polygonaceæ, Emma Sirrine; Lichens collected by Dr. C. C. Parry in Wisconsin and Minnesota in 1848, B. Fink; Pollination of cucurbits, L. H. Pammel and Alice M. Beach; and Diseases of plants at Ames, 1894, L. H. Pammel.

¹ Rydberg, P. A.—Flora of the sand hills of Nebraska. Contributions from the U. S. Nat. Herbarium. **3:** 133-203. 14 S. 1895.